## SAFETY DATA SHEET (REACH)

<b>SAFETY</b> # In accord	dance with Regu	ET (REACH) Iation (EC) No. 1907/2006 and Regulation (EU) No. 2015/830	Revision: 16/01/2020 Page 1/13
	IEUCE	NEUCEROAD Branca, Amarela, Azul e Preta Code: 02090500, 02090700, 02090800, 02090400	
Versior	n: 8 Revisio	on: 16/01/2020 Previous revision: 09/03/2018	Date of printing: 16/01/2020
SECTIC	N 1 : IDENTIF	ICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING	
1.1	PRODUCTIDE	NEUCEROAD Branca, Amarela, Azul e Preta           Code: 02090500 , 02090700 , 02090800 , 02090400	0
1.2	Intended uses ( # Paint for road # Sectors of us # Industrial ma # Professional Uses advised at # This product 'Intended or ide	l marking. ie: anufacturing (SU3). uses (SU22). g <u>ainst:</u> is not recommended for any use or sector of use (industrial, professional or consumer) other than those pre artified uses'. manufacture, placing on market and use, according to Annex XVII of Regulation (EC) No. 1907/2006.	dustrial [X] Professional [_] Consumers
1.3	NEUCE - Indúst Rua Francisco F Phone: +351 25	IE SUPPLIER OF THE SAFETY DATA SHEET: ria de Tintas, S.A. Pocha - Aptdo. 4514 - 3700-892 - Romariz SJM (Portugal) 36 840040 - Fax: +351 256 840049 of the person responsible for the Safety Data Sheet: neuce.pt	
1.4	EMERGENCY TE	LEPHONE NUMBER: +351 256 840041 (9:00-18:30 h.) (working hours)	
	1	SIDENTIFICATION	
2.1	Classification c available, genere extrapolation n information wh of the individua # <u>Classification</u> DANGER: Flam	DN OF THE SUBSTANCE OR MIXTURE:         of mixtures is carried out in accordance with the following principles: a) when data (tests) for the classificat         ral y is carried out based on these data, b) in the absence of data (tests) for mixtures are generally used into         nethods of assessing the risk, using the available data for mixtures similarly classified, and c) in the absence         ich would allow to apply interpolation or extrapolation techniques, methods are used to classify risk assess         I components in the mixture.         nin accordance with Regulation (EU) No. 1272/2008~2018/1480 (CLP):         h. Liq. 2:H225   Skin Irrit. 2:H315   Eye Irrit. 2:H319   Skin Sens. 1:H317   Repr. 2:H361id   Lact.:H362   ST         1:H400   Aquatic Chronic 2:H411         Classification of the mixture       Cat.       Routes of exposure       Target organ	nterpolation or no e of tests and ssment based on the data STOT RE 2:H373i
	Note: When in s	Skin Irrit. 2:H315         c)         Cat.2         Skin         Skin           Eye Irrit. 2:H319         c)         Cat.2         Eyes         Eyes           Skin Sens. 1:H317         c)         Cat.1         Skin         Skin	-
2.2	LABEL ELEMEN Hazard statem H225 H362 H361id H373i H315 H317 H400 H411 Precautionary s P102 P210 P280F	<ul> <li># This product is labelled with the signal word DAN (EU) No. 1272/2008~2018/1480 (CLP)</li> <li>Highly flammable liquid and vapour. May cause harm to breast-fed children. Suspected of damage the unborn child if inhaled. May cause damage to organs through prolonged or repeated exposure if inhaled. Causes serious eye irritation. Causes skin irritation. May cause an allergic skin reaction. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.</li> </ul>	No smoking.

Revision: 16/01/2020

Page 2/13

	<b>IEUCE</b> UTURO DA TINTA		Branca, Amarela, Azul e Preta , 02090700 , 02090800 , 02090400	
	P363 P303+P361+P35	53-P352-P312	Wash contaminated clothing before reuse. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin wi	th water or shower. Wash with
	P305+P351+P33	38	plenty of soap and water. Call a POISON CENTER or doctor if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lense	es, if present and easy to do.
	P273-P391-P501	a	Continue rinsing. Avoid release to the environment. Collect spillage. Dispose of contents/container ir regulations.	n accordance with local
	Supplementary EUH 208 Substances that	<u>statements:</u> t contribute to class	Contains tall-oil fatty acids oleylamide. May produce an allergic reaction.	
	Xylene (mixture Toluene Ethylbenzene			
	Other physicoch Other adverse h	do not result in clas nemical hazards: numan health effect:	ssification but which may contribute to the overall hazards of the mixture: # No other relevant adverse effects are known. s:_# Prolonged exposure to vapours may produce transient drowsiness. Prolonged con ts:_# Does not contain substances that fulfil the PBT/vPvB criteria.	ntact may cause skin dryness.
стіс	ON 3 : COMPOS	ITION/INFORM	ATION ON INGREDIENTS	
	SUBSTANCES : Not applicable (	mixture).		
	MIXTURES: # This product i Chemical descri # Acrylic polym	iption:		
	HAZARDOUS I Substances tak		tage higher than the exemption limit:	
	10 < 15 %	CAS: 1330-20 CLP: Danger:	rre of isomers) -7, EC: 215-535-7 Flam. Liq. 3:H226   Acute Tox. (inh.) 4:H332   Acute Tox (skin) 4:H312   315   Eye Irrit. 2:H319   STOT SE (irrit.) 3:H 335   STOT RE 2:H373i   304	Index No. 601-022-00-9 < REACH
	5 < 10 %	CLP: Danger:	3 , EC: 203-625-9 REACH: 01-2119471310-51 Flam. Liq. 2:H225   Skin Irrit. 2:H315   Repr. 2:H361id   STOT SE 1336   STOT RE 2:H 373i]   Asp. Tox. 1:H304   Aquatic Chronic 3:H412	Index No. 601-021-00-3 < REACH
	2,5 < 5 %	CLP: Danger:	4 , EC: 202-849-4 Flam. Liq. 2:H225   Acute Tox. (inh.) 4:H332   STOT RE 2:H373iE   Asp. Aquatic Chronic 3:H412	Index No. 601-023-00-4 < Autoclassified
	1 < 2,5 %		etone , EC: 201-159-0 Flam. Liq. 2:H225   Eye Irrit. 2:H319   STOT SE (narc osi s) 3:H336	Index No. 606-002-00-3 < REACH / ATP01
	1 < 2 %	CAS: 85535-8	araffins C14-C17 5-9 , EC: 287-477-0 : Lact.:H362   Aquatic Acute 1:H400 (M=100)   Aquatic Chronic 1:H410 066	Index No. 602-095-00-X < REACH / ATP01
	< 0,20 %	CAS: 64742-9 CLP: Danger:	ha (petroleum), light aromatic 5-6 , EC: 265-199-0 REACH: 01-2119486773-24 Flam. Liq. 3:H226   Skin Irrit. 2:H315   STOT SE ( nar cos is ) 3:H336   304   Aquatic Chronic 2:H411	Index No. 649-356-00-4 (Note H,P) < REACH / ATP01
	< 0,15 %	CAS: 147900-	<mark>imeric C18-fatty acids aduct</mark> 93-4 , List No. 604-612-4 : Acute Tox. (oral) 4:H302   Skin Sens. 1B:H317   STOT RE 2:H373o   ic 2:H411	Autoclassified
	< 0,15 %	CAS: 85711-5	cids oleylamide 5-3 , EC: 288-315-1 Eye Dam. 1:H318   Skin Sens. 1A:H317   STOT RE 2 H373o	Autoclassified < REACH
	Impurities: # Content of be	nzene < 0.1%.		
	<u>Stabilizers:</u> None			
	Reference to oth For more inform		ingredients, see sections 8, 11, 12 and 16.	

Revision: 16/01/2020 NEUCE NEUCEROAD Branca, Amarela, Azul e Preta Code: 02090500, 02090700, 02090800, 02090400 O FUTURO DA TINTA SUBSTANCES OF VERYHIGHCONCERN (SVHC): # List updated by ECHA on 15/01/2019. Substances SVHC subject to authorisation, included in Annex XIV of Regulation (EC) no. 1907/2006: None Substances SVHC candidate to be included in Annex XIV of Regulation (EC) no. 1907/2006: None PERSISTENT, BIOACCUMULABLE AND TOXIC PBT, OR VERY PERSISTENT AND VERY BIOACCUMULABLE VPVB SUBSTANCES: Does not contain substances that fulfil the PBT/vPvB criteria. **SECTION 4 : FIRST AID MEASURES** 4.1 DESCRIPTION OF FIRST-AID MEASURES: # Symptoms may occur after exposure, so that in case of direct exposure to the product, when in doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. Lifeguards should pay attention to self-protection and use the recommended protective equipment if there is a possibility of exposure. Wear protective gloves when administering first aid. Symptoms and effects, acute and delayed Description of first-aid measures Route of exposure Inhalation: # Remove the patient out of the contaminated area into the # Usually produces no symptoms. fresh air. If breathing is irregular or stops, administer ٨ artificial respiration. If the person is unconscious, place in appropriate recovery position. Keep the patient warm and at rest until medical attention arrives. Skin: # Skin contact causes redness. # Remove immediately contaminated clothing. Wash thoroughly the affected area with plenty of cold or lukewarm <!> water and neutral soap, or use a suitable skin cleanser. Do not use solvents or thinners. In the case of skin reddening or rashes, contact a doctor immediately. # Remove contact lenses. Rinse eyes copiously by irrigation Eyes: # Contact with the eves produces redness and pain. with plenty of clean, fresh water for at least 15 minutes, <!> holding the eyelids apart, until the irritation is reduced. Call a physician immediately. Ingestion: # If swallowed, may cause irritation of the mouth, # If swallowed, seek medical advice immediately and show throat and oesophagus. container or label. Do not induce vomiting, due to the risk of aspiration. Keep the patient at rest. 10ST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED: 4.2 The main symptoms and effects are indicated in sections 4.1 and 11.1 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED: 4.3 Notes to physician: # Treatment should be directed at the control of symptoms and the clinical condition of the patient. Antidotes and contraindications: # Specific antidote not known. **SECTION 5 : FIRE-FIGHTING MEASURES** 5.1 EXTINGUISHING MEDIA: # Extinguishing powder or CO2. In the case of more important fires, also alcohol resistant foam and water spray/mist. SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE: 5.2 # Fire can produce a dense black smoke. As consequence of combustion or thermal decomposition, hazardous products may be produced: carbon monoxide, carbon dioxide, halogenated compounds, hydrochloric acid. Exposure to combustion or decomposition products may be a hazard to health. 5.3 ADVICE FOR FIREFIGHTERS: Special protective equipment: # Depending on magnitude of fire, heat-proof protective clothing may be required, appropriate independent breathing apparatus, gloves, protective glasses or face masks and boots. If the fire-proof protective equipment is not available or is not being used, combat fire from a sheltered position or from a safe distance. The standard EN469 provides a basic level of protection for chemical incidents. ther recommendations: # Cool with water the tanks, cisterns or containers close to sources of heat or fire. Bear in mind the direction of the wind. Do not allow fire-fighting residue to enter drains, sewers or water courses. SECTION 6 : ACCIDENTAL RELEASE MEASURES 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES: # Eliminate possible sources of ignition and when appropriate, ventilate the area. Do not smoke. Avoid direct contact with this product. ENVIRONMENTAL PRECAUTIONS: 6.2 # Avoid contamination of drains, surface or subterranean water and soil. In the case of large scale spills or when the product contaminates lakes, rivers or sewages, inform the appropriate authorities in accordance with local regulations. METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP: 6.3 # Contain and mop up spills with non-combustible absorbent materials (earth, sand, vermiculite, diatomaceous earth, etc..). Clean preferably with a biodegradable detergent. Avoid use of solvents. Keep the remains in a closed container.

Page 3/13

Revision: 16/01/2020

Page 4/13

SAFETY DATA SHEET (REACH) # In accordance with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 2015/830 NEUCE NEUCEROAD Branca, Amarela, Azul e Preta Code: 02090500, 02090700, 02090800, 02090400 O FUTURO DA TINTA 6.4 REFERENCE TO OTHER SECTIONS: For contact information in case of emergency, see section 1. For information on safe handling, see section 7. For exposure controls and personal protection measures, see section 8. For waste disposal, follow the recommendations in section 13. **SECTION 7 : HANDLING AND STORAGE** 7.1 PRECAUTIONS FOR SAFE HANDLING: # Comply with the existing legislation on health and safety at work. General recommendations # Avoid any type of leakage or escape. Keep the container tightly closed. Recommendations for the prevention of fire and explosion risks # Due to its flammability, this material should only be used in areas from which all naked lights and other sources of ignition have been excluded and away from other heat or electrical sources. Switch mobile phones off and do not smoke. No tools with a potential for sparks should be used. 11\* - Flash point # ⁰C # ⁰C # 475\* Autoignition temperature # Upper/lower flammability or explosive limits 1.2\* - 7.6 % Volume 25°C # Recommendations for the prevention of toxicological risks: # It is advisable pregnant women not be employed in any process in which this product is used. Do not eat, drink or smoke in application and drying areas. After handling, wash hands with soap and water. For exposure controls and personal protection measures, see section 8. Recommendations for the prevention of environmental contamination: # Avoid any spillage in the environment. Pay special attention to the cleaning water. In the case of accidental spillage, follow the instructions indicated in section 6. CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES: 7.2 # Forbid the entry to unauthorized persons. Keep out of reach of children. This product should be stored isolated from heat and electrical sources. Do not smoke in storage area. If possible, avoid direct contact with sunlight. Avoid extreme humidity conditions. In order to avoid leakages, the containers, after use, should be closed carefully and placed in a vertical position. For more information, see section 10. Class of storage # According to current legislation. Maximum storage period # 24. months Temperature interval # min: 5. °C, max: 35. °C (recommended). Incompatible materials: # Keep away from oxidixing agents, from strongly alkaline and strongly acid materials. Type of packaging # According to current legislation. Limit quantity (Seveso III): # Directive 2012/18/EU: - Named dangerous substances/mixtures: None - Hazard categories and lower-/upperthreshold quantities in tonnes (t): Physical hazards: Highly flammable liquid and vapour (P5c) (5000t/50000t). Health hazards: Not applicable • Environmental hazards: Very toxic to aquatic life (E1) (100t/200t). Other hazards: Not applicable. - Threshold quantity for the application of lower-tier requirements: 100 tons - Threshold quantity for the application of upper-tier requirements: 200 tons - Remarks: The qualifying quantities set out above relate to each establishment. The quantities to be considered for the application of the relevant Articles are the maximum quantities which are present or are likely to be present at any one time. Dangerous substances present at an establishment only in quantities equal to or less than 2 % of the relevant qualifying quantity shall be ignored for the purposes of calculating the total quantity present, if their location within an establishment is such that it cannot act as an initiator of a major accident elsewhere at that establishment. For more details, see note 4 of Annex I of the Seveso Directive.

# Indecon	dance with hege		.90101011(20)110.2013/030						
	IEUCE	NEUCEROAD Branca, Ar Code: 02090500, 02090700,							
7.3	SPECIFIC END # For the use o		ular recommendations apart from	that already	indicated.				
SECTIO	N 8 : EXPOSU	RE CONTROLS/PERSONAL P	ROTECTION						
8.1	effectiveness o to EN689, EN14 chemical and b substances.	ontains ingredients with exposu f the ventilation or other control 042 and EV482 standard concern	re limits, may be necessary a per measures and/or the necessity to ing methods for assesing the exp Id be also made to national guidar	o use respirat osure by inha	ory protective eq lation to chemica	uipment. Referen I agents, and exp	nce should be osure to	made	
		LAPOSORE LIMIT VALUES (TE						-	
	AGCIH 2018 Xylene Toluene Ethylbenzene Ethylmethylket Solvent naphtha	one a (petroleum), light aromatic	<u>Year</u> 1996 2007 2002 1976	TLV-TWA ppm 100. 20. 100. 200. 50.	mg/m3 434. 75. 434. 590. 290.	TLV-STEL ppm n 150. 125. 300. -	ng/m3 651. - 543. 885. -	Remarks A4, BEI A4, BEI A3, BEI BEI Internal value	
	A3 - Carcinoger A4 - Non classii BEI - Biological His preparation - # Xylenes (t. end of shift (2). - # Toluene (2) determinant: tr creatinine, San - # Ethylbenze end of shift (2), - # Methyl eth # (2) When the exposition ceas # (5) Means be # (B) Backgrou. a concentration # (Ns) Non-spe Derived no-effe REACH. DNEL	nic in animals. fied as carcinogenic in humans. exposure index (biological monit <u>IMIT VALUES:</u> In contains the following substance echnical or commercial grade) (2 009): 1°) Biological determinant. oluene in urine, BEI: 0.03 mg/l, S. appling time: end of shift (2), Nota ine (2013): Biological determinant Notation: (Ns). yl ketone (2012): Biological determinant mod. The determinant may be prese that could affect interpretation iscific. The determinant is non-spece <u>EFECT LEVEL (DNEL):</u> ct level (DNEL) is a level of expon values may differ from a occupati	ces that have established a biolog 2011): Biological determinant: me : toluene in blood, BEI: 0.02 mg/l, ampling time: end of shift (2). 3°, tion: (B). nt: sum of mandelic acid and pher rrminant: methyl ethyl ketone in u de with the end of the working day.	ical limit valu thylhippuric Sampling tin Biological de nylglycolic acu rine, BEI: 2 r , the sample cted from suu neentrations er exposure t ved from toxi same chemi	e : acids in urine, BE eterminant: o-cre id in urine, BEI: 0. ng/l, Sampling tir will be taken as s bjects who have r are incorporated o other chemicals city data accordir cal. OEL val ues m	hift of workweek sol in urine, BEI: 15 g/g creatinine ne: end of shift (2 con as possible a ot been occupation in s. g to specific guid ay c ome recomn	(5). 2°) Biolo 0.3 mg/g Sampling tir Sampling tir 2), Notation: fiter the real onally expose lances include ne rded by a	gical ne: (Ns). ed, at ed in	
		ocess different of REACH.	, , , , , , , , , , , , , , , , , , , ,			1		_	
	- Systemic effective Xylene (mixture Toluene Ethylmethylket Chlorinated par	one		DNEL Inhala mg/m3 289. ( 384. ( - (a - (a - (a)	a) 77.0 (c) a) 192. (c) a) 600. (c) a) 6.70 (c)	DNEL Cutaneou mg/kg bw/d s/r (a) - (a) - (a) - (a)	_	- (a) - (a)	- (c) - (c) - (c) - (c) - (c)
	Derived no-effe - Local effects, Xylene (mixture Toluene Ethylmethylket Chlorinated par	ct level, workers: acute and chronic: e of isomers)		DNEL Inhala mg/m3 289. ( 384. ( - (a - (a - (a	ation a) s/r (c) a) 192. (c) a) - (c) a) - (c)	DNEL Cutaneou mg/cm2 s/r (a) s/r (a) - (a) - (a) - (a)		DNEL Eyes mg/cm2 - (a) - (a) - (a) - (a) - (a)	- (c) - (c) - (c) - (c) - (c) - (c)
	Not applicable ( (a) - Acute, sho (-) - DNEL not a	ct level, general population: product for professional or indus prt-term exposure, (c) - Chronic, available (without data of registra derived (not identified hazard).	long-term or repeated exposure.						

Revision: 16/01/2020

Page 5/13

inaccordance with Regu	iacion (EC) No. 1907/2000 and Regulation (EO) No. 2013/030			
O FUTURO DA TINTA	NEUCEROAD Branca, Amarela, Azul e Preta Code: 02090500, 02090700, 02090800, 02090400			
PREDICTED NO	D-EFFECT CONCENTRATION (PNEC):			
- Fresh water, Xylene (mixtur Toluene Ethylmethylket Chlorinated par	one	PNEC Fresh water mg/l 0.327 0.680 55.8 0.00100 uvcb	PNEC Marine mg/l 0.327 0.680 55.8 0.000200 uvcb	PNEC Intermittent mg/l 0.327 0.680 55.8 - - uvcb
and marine wa Xylene (mixtur Toluene Ethylmethylket Chlorinated par	e of isomers) one	PNEC STP mg/l 6.58 13.6 709. 80.0 uvcb	PNEC Sediments mg/kg dw/d 12.5 16.4 285. 13.0 uvcb	PNEC Sediments mg/kg dw/d 12.5 16.4 285. 2.60 uvcb
- Air, soil and e Xylene (mixtur Toluene Ethylmethylket Chlorinated par	one	PNEC Air mg/m3 - - - - - uvcb	PNEC Soil mg/kg dw/d 2.31 2.89 22.5 11.9 uvcb	PNEC Oral mg/kg dw/d - 1000. 10.0 uvcb

(-) - PNEC not available (without data of registration REACH). uvcb - The substance has an unknown or variable composition (UVCB). The conventional methods to derive the PNEC are not appropriate and it is not possible to identify a single PNEC representative for these substances, and therefore not used in calculations for risk assessment.

Revision: 16/01/2020 Page 6/13

SAFETY DATA SHEET (REACH)

O FUTURO DA TINTA	NEUCEROAD Branca, Amarela, Azul e Preta Code: 02090500, 02090700, 02090800, 02090400	
EXPOSURE CO	- INTROLS:	
ENGINEERING	MEASURES:	
	<ul> <li>* Provide adequate ventilation. Where reasonal use of local exhaust ventilation and good general sufficient to maintain concentrations of particul Exposure Limits, suitable respiratory protection</li> </ul>	al extraction. If these measures are not lates and vapours below the Occupational
Protection of ev	espiratory system: # Avoid the inhalation of product. <u>yes and face:</u> # It is recommended to install water taps, sources or eyewash bottles with clean <u>ands and skin:</u> # It is recommended to install emergency showers close to the working area. B s of the skin.	water close to the working area. Barrier creams may help to protect the
As a general m the correspond	AL EXPOSURE CONTROLS: Regulation (EU) No. 2016/425: neasure on prevention and safety in the work place, we recommend the use of a basic personal pr ding marking. For more information on personal protective equipment (storage, use, cleaning mai s of the PPE, protection class, marking, category, CEN norm, etc), you should consult the informa s of PPE.	intenance, type and
Mask:	<ul> <li># Mask for gases and vapours (EN14387). Class 1: low capacity up to 1000 ppm, Cl ppm, Class 3: high capacity up to 10000 ppm. In order to obtain a suitable protective selected depending on the type and concentration of the contaminating agents press specifications supplied by the filter producers.</li> </ul>	ion level, the filter class must be
Safety goggles	<ul> <li>Safety goggles with suitable lateral protection (EN166). Clean daily and disinfect with the instructions of the manufacturer.</li> </ul>	at regular intervals in accordance
Face shield:	# No.	
Gloves:	# Gloves resistant against chemicals (EN374). The gloves should be immediately r is noted.	replaced when any sign of degradation
Boots:	# No.	
Apron:	# No.	
Clothing:	# Advisable.	
Thermal hazard	ds: ////////////////////////////////////	
	TAL EXPOSURE CONTROLS:	
	illage in the environment.	
<u>Spills on the sc</u>	oil: # Prevent contamination of soil.	
- Water Manao	<u>:</u> # Do not allow to escape into drains, sewers or water courses. <u>gement Act:</u> # This product does not contain any substance included in the list of priority substa )/60/EC~2013/39/EU.	ances in the field of water policy under
	he atmosphere: # Not applicable.	

### **SAFETY DATA SHEET (REACH)**

# In accordance with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 2015/830

NEUCE NEUCEROAD Branca, Amarela, Azul e Preta Code: 02090500, 02090700, 02090800, 02090400 ¥ 砂 O FUTURO DA TINTA SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES 9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES: Appearance - Physical state # Liauid. - Colour # White. - Odour Characteristic - Odour threshold # Not available (mixture). pH-value # Not applicable (non-aqueous media). - nH ÷ <u>Change of state</u> - Melting point # Not applicable (mixture). # °C at 760 mmHg Initial boiling point 79.6\* # Density Vapour density # Not available Relative density 1.49 ± 0.1 # at 20/4°C Relative water Stability Decomposition temperature # Not available (technical impossibility to obtain the data). ÷ Viscosity: - Kinematic viscosity # Not applicable Volatility: - Evaporation rate 147.9\* nBuAc=100 25°C Relative # Vapour pressure 8.4\* # mmHg at 20°C 10\* kPa at 50°C 18.4\* # Vapour pressure # Solubility(ies) Solubility in water: # Not miscible Liposolubility # Not available (mixture untested). Partition coefficient: n-octanol/water # Not applicable (mixture). Flammability: # CLP 2.6.4.3. - Flash point 11\* °C % Volume 25°C Upper/lower flammability or explosive limits # 1.2\* - 7.6 - Autoignition temperature Explosive properties: 475\* # °C # Not available. Oxidizing properties: # Not classified as oxidizing product. \*Estimated values based on the substances composing the mixture. 9.2 **OTHER INFORMATION:** Solids 56. # % Volume 5 # The values indicated do not always coincide with product specifications. The data for the product specifications can be found in the corresponding technical data sheet. For additional information concerning physical and chemical properties related to safety and environment, see sections 7 and 12. SECTION 10 : STABILITY AND REACTIVITY 10.1 REACTIVITY: Corrosivity to metals: # It is not corrosive to metals. Pyrophorical properties: # It is not pyrophoric. 10.2 CHEMICAL STABILITY: # Stable under recommended storage and handling conditions. 10.3 POSSIBILITY OF HAZARDOUS REACTIONS: # Possible dangerous reaction with oxidizing agents, acids, metals. CONDITIONS TO AVOID: 10.4 Heat: # Keep away from sources of heat. Light: # If possible, avoid direct contact with sunlight. Air: # The product is not affected by exposure to air, but should not be left the containers open. Humidity: # Avoid extreme humidity conditions. Pressure: # Not relevant. Shock: # The product is not sensitive to shocks, but as a recommendation of a general nature should be avoided bumps and rough handling to avoid dents and breakage of packaging, especially when the product is handled in large quantities, and during loading and download operations. 10.5 **INCOMPATIBLE MATERIALS:** # Keep away from oxidixing agents, from strongly alkaline and strongly acid materials. 10.6 HAZARDOUS DECOMPOSITION PRODUCTS: # As consequence of thermal decomposition, hazardous products may be produced: hydrochloric acid, halogenated compounds.

Revision: 16/01/2020

Page 8/13

NEUCE	NEUCEROAD Branca Code: 02090500 , 020907						$\langle ! \rangle \langle ! \rangle$
ION 11 : TOXICO	DLOGICAL INFORMATIO	N					
	ogical data on the preparation method of the Regulation (E			ication for these mixture has	s been carried out by using the		
INFORMATION	ON TOXICOLOGICAL EFFE	<u>TTS:</u>					
Dose and letha for individual in Xylene (mixtur Toluene Ethylbenzene Ethylmethylket Chlorinated par Solvent naphth	l concentrations gredients : e of isomers) one affins C14-C17 a (petroleum), light aromatic			LD50 (OECD 401) mg/kg bw oral 4300. Rat 5580. Rat 3500. Rat 2737. Rat 26100. Rat 3900. Rat	LD 50 (OECD 402) mg/kg bw cutaneous 1700. Rabbit 12124. Rabbit 15400. Rabbit 6480. Rabbit 13500. Rabbit 3160. Rabbit	LC50 (Of mg/m3-4h inf > 22080. > 28100. > 17400. > 23500. > 20000.	ECD 403) nalation Rat Rat Rat Rat Rat
for individual in Xylene (mixtur Ethylbenzene	<u>ute toxicity (ATE)</u> gredients :			> 2000. Rat ATE mg/kg bw oral - - 500.*	ATE mg/kg bw cutaneous 1100.*	ATE mg/m3·4h inf 11000.* 17400.	Vapours
Not available	ed adverse effect level	OSURE: Acute toxicity:					1
Routes of expos	sure	Acute toxicity	Cat.	Main effects, acute and/or	delayed		Criteria
Inhalation: Not classified		ATE > 20000 mg/m3	-		ict with acute toxicity if inhaled he classification criteria are no		GHS/CLP 3.1.3.6.
<u>Skin:</u> Not classified		ATE > 2000 mg/kg bw	-		ict with acute toxicity in conta ata, the classification criteria a		GHS/CLP 3.1.3.6.
Eyes: Not classified		Not available	-	<i># Not classified as a produ (lack of data).</i>	ict with acute toxicity by eye c	ontact	GHS/CLP 1.2.5.
Ingestion: Not classified		ATE > 2000 mg/kg bw	-		ict with acute toxicity if swallo he classification criteria are no		GHS/CLP 3.1.3.6.
	.6: Classification of mixtures	5	, fthe mixture (	additivity formula).			
Danger class		Target organs	Cat.	Main effects, acute and/or	delayed		Criteria
Respiratory con Not classified	ros ion/ir ritat ion	-	-		ict corrosive or irritant by inha he classification criteria are no		GHS/CLP 1.2.6. 3.8.3.4.
Skin corrosion/	irritation:	Skin	Cat.2	# IRRITANT: Causes skin	irritation.		GHS/CLP 3.2.3.3.
					ur ava irritation		

				3.2.3.3.
Serious eye damage/irritation:	Eyes	Cat.2	<i># IRRITANT: Causes serious eye irritation.</i>	GHS/CLP 3.3.3.3.
Respiratory sensitisation: Not classified	-	-	# Not classified as a product sensitising by inhalation (based on available data, the classification criteria are not met).	GHS/CLP 3.4.3.3.
Skin sensitisation:	Skin	Cat.1	# SENSITISING: May cause an allergic skin reaction.	GHS/CLP 3.4.3.3.

GHS/CLP 3.2.3.3: Classification of the mixture when data are available for all components or only for some components. GHS/CLP 3.3.3.3: Classification of the mixture when data are available for all components or only for some components. GHS/CLP 3.4.3.3: Classification of the mixture when data are available for all components or only for some components.

Revision: 16/01/2020

Page 9/13

Page 10 / 13

ASPIRATION	HAZARD:					
Danger class		Target organs	Cat.	Main effects, acute and/or d	elayed	Criter
Aspiration ha	azard:	-	-	# Not classified as a produc	t hazardous by aspiration (basi ification criteria are not met).	ed GHS/C 3.10.3
	10.2.2. Classification of the mivt		ilable for all e			
	10.3.3: Classification of the mixt RGET OR GANS TOXICITY (STO			. ,	imponents.	
Effects	SE/RE	Target organs	Cat.	Main effects, acute and/or d	elayed	Criter
Systemic:	RE	Systemic	Cat.2	# HARMFUL: May cause da or repeated exposure if inha	mage to organs through prolon iled.	ged GHS/C 3.8.3.4
· ·	8.3.4: Classification of the mixtu					
Genotoxicity Toxicity for m This prepara Toluene (cat. Effects via la	n <u>ctation:</u> # May cause harm to b ND IMMEDIATE EFFECTS AS WE	nutagenic product. dients which can be to: reast-fed children.	oxic for human		SURE:	
Short-term e sensitization	posure: # Not available. exposure: # Harmful by inhalat n by skin contact. r repeated exposure: # Not ava		t with skin. M	ay irritate the eyes and skin. I	irritating to skin. May cause	
INTERACTIV # Not availa						
	ONA BOUT TOXICOCINETICS, M	1ETABOLISM AND DIS	STRIBUTION:			
Basic toxico	prption: # Not available.					
Basic toxico	orption: # Not available. <u>kinetics:</u> # Not available. L INFORMATION:					
Basic toxico ADDITIONA Not available	kinetics: # Not available. LL INFORMATION: e.					
Basic toxico ADDITIONA Not available	kinetics: # Not available. LINFORMATION: e. OGICALINFORMATION	· · · · · · · · · · · · · · · · · · ·				
ADDITIONA Not available	kinetics: # Not available. LL INFORMATION: e.	ion as such is availabk lation (EJ) No. 1272/20	e.The ecotoxi 008~2018/148	cological classification for the 30 (CLP).	s e mixt ure hæ been carried ou	it by
Basic toxico ADDITIONA Not available CON 12 : ECOL erimental ecoto the conventiona TOXICITY: Acute toxicit for individual Xylene (mixt	kinetics: # Not available. <u>LINFORMATION:</u> e. OGICAL INFORMATION oxicological data on the preparat	ion as such is availa bla lation (EU) No. 1272/20	e.The ecotoxi 008~2018/148	00 (CLP).	EC50 (OECD 202) mg/l-48hours > 16. Daphnia	EC50 (OECD 201 mg/l-72hours > 10. Alga
Basic toxico ADDITTONA Not available CON 12 : ECOL erimental ecoto the conventiona TOXICITY: Acute toxicit for individual Xylene (mixt Toluene Ethylbenzeno Et	kinetics: # Not available. LINFORMATION: e. OGICAL INFORMATION oxicological data on the preparat l calculation method of the Regu ty in aquatic environment ingredients : ture of isomers) e ketone paraffins C14-C17 tha (petroleum), light aromatic	lation (EU) No. 1272/2(	e.The ecotoxi 008~2018/148	00 (CLP). LC50 (OECD 203) mg/l96hours > 14. Fishes > 5.5 Fishes > 12. Fishes 2993. Fishes 5000. Fishes > 9.2 Fishes	EC50 (OECD 202) mg/+48hours > 16. Daphnia > 3.8 Daphnia > 1.8 Daphnia 308. Daphnia 0.0059 Daphnia > 6.1 Daphnia	EC50 (OECD 201 mg/l-72hours > 10. Alga > 13. Alga > 33. Alga 1972. Alga > 3.2 Alga
Basic toxico ADDITIONA Not available CON 12 : ECOL erimental ecote the conventiona <u>TOXICITY:</u> <u>Acute toxicit</u> for individual Xylene (mixt Toluene Ethylbenzene	kinetics: # Not available. LINFORMATION: e. OGICAL INFORMATION oxicological data on the preparat I calculation method of the Regu ty in aquatic environment. ingredients : ture of isomers) e ketone paraffins C14-C17	lation (EU) No. 1272/2(	e.The ecotoxi 008~2018/146	00 (CLP). LC50 (OECD 203) mg/l·96hours > 14. Fishes > 5.5 Fishes > 12. Fishes 2993. Fishes 5000. Fishes > 9.2 Fishes > 100. Fishes NOEC (OECD 210)	EC50 (OECD 202) mg/l-48hours > 16. Daphnia > 3.8 Daphnia > 1.8 Daphnia 308. Daphnia 0.0059 Daphnia	EC50 (OECD 201 mg/ŀ72hours > 10. Alga > 13. Alga > 33. Alga 1972. Alga
Basic toxico ADDITIONA Not available ION 12 : ECOL erimental ecot the conventiona TOXICITY: Acute toxicit for individual Xylene (mixi Yulene Ethylbenzene Ethylbenzene Ethylbenzene Ethylbenzene Ethylbenzene Toluene Toluene	kinetics: # Not available. LINFORMATION: e. OGICAL INFORMATION oxicological data on the preparat I calculation method of the Regu ty in aquatic environment. lingredients : ture of isomers) e ketone paraffins C14-C17 tha (petroleum), light aromatic acids oleylamide	lation (EU) No. 1272/2(	e.The eœtoxi 008~2018/148	0 (CLP). LC50 (OECD 203) mg/i-96hours > 14. Fishes > 5.5 Fishes > 12. Fishes 2993. Fishes 5000. Fishes > 9.2 Fishes > 100. Fishes	EC50 (OECD 202) mg/I-48hours > 16. Daphnia > 3.8 Daphnia > 1.8 Daphnia 308. Daphnia 0.0059 Daphnia > 6.1 Daphnia > 15. Daphnia NOEC (OECD 211)	EC50 (OECD 201 mg/l-72hours > 10. Alg; > 13. Alg; > 33. Alg; 1972. Alg; > 3.2 Alg; > 7.0 Alg; NOEC (OECD 201
Basic toxico ADDITIONA Not available ION 12 : ECOL erimental ecot the conventiona TOXICITY: Acute toxicit for individual Xylene (mixi Yolene Ethylbenzene Ethylbenzene Ethylbenzene Ethylbenzene Toluene Chlorinated J No observed Toluene Chlorinated J Lowest observer	kinetics: # Not available. L INFORMATION: e. OGICAL INFORMATION oxicological data on the preparat l calculation method of the Regu ty in aquatic environment. lingredients : ture of isomers) e ketone paraffins C14-C17 tha (petroleum), light aromatic acids oleylamide effect concentration	lation (EU) No. 1272/2(	e.The ecotoxi 008~2018/148	80 (CLP). LC50 (OECD 203) mg/l·96hours > 14. Fishes > 5.5 Fishes > 12. Fishes 2993. Fishes > 9.2 Fishes > 100. Fishes > 100. Fishes NOEC (OECD 210) mg/l·28days 1.4 Fishes 0.13 Fishes LOEC (OECD 210) mg/l·28days	EC50 (OECD 202) mg/l-48hours > 16. Daphnia > 3.8 Daphnia > 1.8 Daphnia 308. Daphnia 0.0059 Daphnia > 6.1 Daphnia > 15. Daphnia NOEC (OECD 211) mg/l-21days < 1. Daphnia	EC50 (OECD 201 mg/l-72hours > 10. Alga > 13. Alga > 33. Alga > 32. Alga > 3.2 Alga > 7.0 Alga NOEC (OECD 201 mg/l-72hours
Basic toxico ADDITIONA Not available CON 12 : ECOL erimental ecotu- the conventiona TOXICITY: Acute toxicit for individual Xylene (mixt Toluene Ethylbenzene Toluene Chlorinated p	kinetics: # Not available. L INFORMATION: e. OGICAL INFORMATION oxicological data on the preparat l calculation method of the Regu ty in aquatic environment. lingredients : ture of isomers) e ketone paraffins C14-C17 tha (petroleum), light aromatic acids oleylamide paraffins C14-C17 paraffins C14-C17	lation (EU) No. 1272/2(	e.The ecotoxi 008~2018/148	0 (CLP).           LC50         (OECD 203)           mg/l·96hours         > 14. Fishes           > 5.5         Fishes           > 12.         Fishes           2993.         Fishes           5000.         Fishes           > 9.2         Fishes           > 100.         Fishes           1.4         Fishes           > 100.         Fishes           0.13         Fishes           0.13         Fishes	EC50(OECD 202)mg/l-48hours> 16.Daphnia> 3.8Daphnia> 1.8Daphnia308.Daphnia0.0059Daphnia> 6.1Daphnia> 15.Daphnia> 15.Daphnia< 15.	EC50         (OECD 201           mg/l-72hours         > 10. Alg:           > 13. Alg:         > 33. Alg:           1972. Alg:         > 3.2 Alg:           > 7.0 Alg:         > 7.0 Alg:           NOEC         (OECD 201           mg/l-72hours         > 10. Alg:           > 10. Alg:         > 10. Alg:           NOEC         (OECD 201           mg/l-72hours         > 10. Alg:           LOEC         (OECD 201
Basic toxico ADDITIONA Not available ION 12 : ECOL erimental ecot the conventiona TOXICITY: Acute toxicit for individual Xylene (mixi Valene (mixi Valene (mixi Valene (mixi No observed Toluene Chlorinated ( Lowest observed Toluene Chlorinated (	kinetics: # Not available. L INFORMATION: e. OGICAL INFORMATION oxicological data on the preparat l calculation method of the Regu ty in aquatic environment l ingredients : ture of isomers) e ketone paraffins C14-C17 ntha (petroleum), light aromatic acids oleylamide effect concentration paraffins C14-C17 rved effect concentration	lation (EU) No. 1272/2(	e.The eœtoxi 008~2018/148	80 (CLP). LC50 (OECD 203) mg/l·96hours > 14. Fishes > 5.5 Fishes > 12. Fishes 2993. Fishes > 9.2 Fishes > 100. Fishes > 100. Fishes NOEC (OECD 210) mg/l·28days 1.4 Fishes 0.13 Fishes LOEC (OECD 210) mg/l·28days	EC50(OECD 202)mg/l-48hours> 16.Daphnia> 3.8Daphnia> 1.8Daphnia308.Daphnia0.0059Daphnia> 6.1Daphnia> 15.Daphnia> 15.Daphnia< 1.	EC50         (OECD 201           mg/l-72hours         > 10. Alg:           > 13. Alg:         > 33. Alg:           1972. Alg:         > 3.2 Alg:           > 7.0 Alg:         > 7.0 Alg:           NOEC         (OECD 201           mg/l-72hours         > 10. Alg:           > 10. Alg:         > 10. Alg:           NOEC         (OECD 201           mg/l-72hours         > 10. Alg:           LOEC         (OECD 201
Basic toxico ADDITIONA Not available ION 12 : ECOL erimental ecot the conventiona TOXICITY: Acute toxicit for individual Xylene (mixi Valene (mixi Valene (mixi Valene (mixi No observed Toluene Chlorinated ( Lowest observed Toluene Chlorinated (	kinetics: # Not available. L INFORMATION: e. OGICAL INFORMATION oxicological data on the preparat l calculation method of the Regu ty in aquatic environment l ingredients : ture of isomers) e ketone paraffins C14-C17 tha (petroleum), light aromatic acids oleylamide effect concentration paraffins C14-C17 erved effect concentration paraffins C14-C17 erved effect concentration paraffins C14-C17	lation (EU) No. 1272/2(	e.The ecotoxi 008~2018/14	80 (CLP). LC50 (OECD 203) mg/l·96hours > 14. Fishes > 5.5 Fishes > 12. Fishes 2993. Fishes > 9.2 Fishes > 100. Fishes > 100. Fishes NOEC (OECD 210) mg/l·28days 1.4 Fishes 0.13 Fishes LOEC (OECD 210) mg/l·28days	EC50(OECD 202)mg/I-48hours> 16.Daphnia> 3.8Daphnia> 1.8Daphnia308.Daphnia0.0059Daphnia> 6.1Daphnia> 15.Daphnia> 15.Daphnia< 15.	EC50         (OECD 201           mg/l-72hours         > 10. Alg:           > 13. Alg:         > 33. Alg:           1972. Alg:         > 3.2 Alg:           > 7.0 Alg:         > 7.0 Alg:           NOEC         (OECD 201           mg/l-72hours         > 10. Alg:           > 10. Alg:         > 10. Alg:           NOEC         (OECD 201           mg/l-72hours         > 10. Alg:           LOEC         (OECD 201
Basic toxico ADDITTONA Not available conventiona TOXICITY: Acute toxicit for individual Xylene (mixt Toluene Ethylberze	kinetics: # Not available. L INFORMATION: e. OGICAL INFORMATION oxicological data on the preparat l calculation method of the Regu ty in aquatic environment. lingredients : ture of isomers) e ketone paraffins C14-C17 tha (petroleum), light aromatic acids oleylamide effect concentration paraffins C14-C17 erved effect concentration paraffins C14-C17 erved effect concentration paraffins C14-C17 erved effect concentration paraffins C14-C17	lation (EU) No. 1272/2(	008~2018/148	0 (CLP).         LC50       (OECD 203)         mg/l-96hours       > 14. Fishes         > 5.5       Fishes         > 12. Fishes       > 12. Fishes         2993. Fishes       5000. Fishes         > 9.2       Fishes         > 100. Fishes       100. Fishes         NOEC       (OECD 210)         mg/l-28days       1.4         0.13       Fishes         LOEC       (OECD 210)         mg/l-28days       2.8         LOES       2.8	EC50       (OECD 202)         mg/l-48hours       > 16.       Daphnia         > 3.8       Daphnia         > 1.8       Daphnia         308.       Daphnia         0.0059       Daphnia         > 6.1       Daphnia         > 15.       Daphnia         < 15.	EC50         (OECD 201           mg/i-72hours         > 10. Alg:           > 13. Alg:         > 33. Alg:           1972. Alg:         > 3.2 Alg:           > 7.0 Alg:         > 7.0 Alg:           > 10. Alg:         > 10. Alg:           (OECC)         (OECD 201           mg/i-72hours         > 10. Alg:           LOEC         (OECD 201           mg/i-72hours         > 10. Alg:

### **SAFETY DATA SHEET (REACH)**

# In accordance with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 2015/830


NEUCE NEUCEROAD Branca, Amarela, Azul e Preta 3 Code: 02090500, 02090700, 02090800, 02090400 O FUTURO DA TINTA PERSISTENCE AND DEGRADABILITY: 12.2 # Not available. Aerobic biodegradation DQO %DBO/DQO Biodegradability for individual ingredients : 5 days 14 days 28 days ~ 52. ~ 81. ~ mqO2/q ~ 81. Xylene (mixture of isomers) 2620. ~ 88. Easv Toluene 2520. Easy Ethylbenzene 3164. ~ 30. ~ 68. ~ 79. Easv Ethylmethylketone 2440. ~ 98. Easy Chlorinated paraffins C14-C17 1500. Not easy Solvent naphtha (petroleum), light aromatic Oleylamine-trimeric C18-fatty acids aduct 3195. Easy Easv Tall-oil fatty acids oleylamide 51. 72. 87. Easy # Note: Biodegradability data correspond to an average of data from various bibliographic sources. 12.3 **BIOACCUMULATIVE POTENTIAL:** # Not available. **Bioaccumulation** log Pow BCF Potential for individual ingredients : L/kg Xylene (mixture of isomers) 3.16 57. (calculated) Not available 2.69 (calculated) Not available Toluene 13. Ethylbenzene 3.15 56. (calculated) Not available 3.2 Ethylmethylketone 0.290 (calculated) Not available Chlorinated paraffins C14-C17 5.50 1087. (calculated) Not available Solvent naphtha (petroleum), light aromatic 3.30 (calculated) Not available 70. Oleylamine-trimeric C18-fatty acids aduct 3.2 (calculated) Not available Tall-oil fatty acids oleylamide 13.5 71. (calculated) Not available 12.4 MOBILITY IN SOIL: # Not available. log Koc Constant of Henry Potential Mobility for individual ingredients : Pa·m3/mol 209 Xylene (mixture of isomers) 2.25 (calculated) Not available 660. 2.57 (calculated) Not available Toluene 680. Ethylbenzene 2.23 798. (calculated) Not available Not available Ethylmethylketone 1.28 5.8 (calculated) Chlorinated paraffins C14-C17 5.11 Not available Solvent naphtha (petroleum), light aromatic 2.96 440. (calculated) Not available Oleylamine-trimeric C18-fatty acids aduct Not available Tall-oil fatty acids oleylamide 8.16 Not available RESULTS OF PBT AND VPVB ASSESMENT: 12.5 Annex XIII of Regulation (EC) no. 1907/2006: # Does not contain substances that fulfil the PBT/vPvB criteria. 12.6 OTHER ADVERSE EFFECTS: Ozone depletion potential: # Not available. Photochemical ozone creation potential: # Not available. Earth global warming potential: # In case of fire or incineration liberates CO2. Endocrine disrupting potential: # Not available. SECTION 13 : DISPOSAL CONSIDERATIONS 13.1 WASTE TREATMENT METHODS: # Directive 2008/98/EC~Regulation (EU) no. 1357/2014: # Take all necessary measures to prevent the production of waste whenever possible. Analyse possible methods for revaluation or recycling. Do not discharge into drains or the environment, dispose at an authorised waste collection point. Waste should be handled and disposed in accordance with current local and national regulations. For exposure controls and personal protection measures, see section 8 Disposal of empty containers: # Directive 94/62/EC~2015/720/EU, Decision 2000/532/EC~2014/955/EU: # Emptied containers and packaging should be disposed in accordance with currently local and national regulations. The classification of packaging as hazardous waste will depend on the degree of empting of the same, being the holder of the residue responsible for their classification, in accordance with Chapter 15 01 of Decision 2000/532/EC, and forwarding to the appropriate final destination. With contaminated containers and packaging, adopt the same measures as for the product in itself. Pr for neutralising or destroying the product: # Controlled incineration in special facilities for chemical waste, in accordance with local regulations. Contains halogenated compounds: In the case of incineration, take all necessary measures in order to avoid production and emission of furanes and dioxines into the atmosphere above the legal limits allowed.

Revision: 16/01/2020

Page 11 / 13

Revision: 16/01/2020 Page 12 / 13 NEUCE NEUCEROAD Branca, Amarela, Azul e Preta Code: 02090500, 02090700, 02090800, 02090400 3 O FUTURO DA TINTA **SECTION 14 : TRANSPORT INFORMATION** 14.1 UN NUMBER: 1263 14.2 UN PROPER SHIPPING NAME: PAINT TRANSPORT HAZARD CLASS(ES): 14.3 (Special provision 640D) Transport by road (ADR 2019) and VP<110 kPa50°C Transport by rail (RID 2019): - Class: 3 Packing group:Classification code: Π F1 Tunnel restriction code: (D/E) Transport category: 2, max. ADR 1.1.3.6. 333 L - Limited quantities: 5 L (see total exemptions ADR 3.4) - Transport document: Consignment paper. ADR 5.4.3.4 - Instructions in writing: Transport by sea (IMDG 38-16): Class: 3 - Packing group: Π Emergency Sheet (EmS):
First Aid Guide (MFAG): F-E,S E 310,313 - Marine pollutant: Yes. Shipping Bill of lading. - Transport document: Transport by air (ICAO/IATA 2018): - Class: 3 - Packing group: Π Air Bill of lading. - Transport document: Transport by inland waterways (ADN): # Not available. 14.4 PACKING GROUP: See section 14.3 ENVIRONMENTAL HAZARDS: 14.5 # Classified as hazardous for the environment. SPECIAL PRECAUTIONS FOR USER 14.6 # Ensure that persons transporting the product know what to do in case of accident or spill. Always transport in closed containers that are upright and secure. Ensure adequate ventilation. 14.7 TRANSPORT IN BULK ACCORDING TO ANNEXITOF MARPOL 73/78 AND THE IBC COD E # Not applicable. **SECTION 15 : REGULATORY INFORMATION** 15.1 EU SAFETY, HEALT HAND EN VIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC: The regulations applicable to this product generally are listed throughout this Safety Data Sheet. Restrictions on manufacture, placing on market and use: See section 1.2 Tactile warning of danger: Not applicable (product for professional or industrial use). Child safety protection: Not applicable (the classification criteria are not met). VOC information on the label # Contains VOC max. 360. g/l - The limit value 2004/42/CE-IIA cat. i) for the product ready for use is VOC max. 500. g/l (2010). OTHER REGULATIONS: Responsabilidade ambiental: A utilização deste produto em Portugal fica sujeita ao regime de responsabilidade ambiental previsto no DL.147/2008. Control of the risks inherent in major accidents (Seveso III): See section 7.2 Other local legislations # The receiver should verify the possible existence of local regulations applicable to the chemical. 15.2 CHEMICAL SAFETY ASSESSMENT: # A chemical safety assessment has not been carried out for this mixture.

O FUTURO DA TINTA



The information of this Safety Data Sheet, is based on the present state of knowledge and on current UE and national laws, as the users' working conditions are beyond our knowledge and control. The product is not to be used for other purposes than those specified, without first obtaining written handling instruction. It is always the responsibility of the user to take all necessary steps in order to fulfil the demand laid down in the local rules and legislation. The information in this Safety Data Sheet is meant as a description of the safety requirements of the product and it is not to be considered as a guarantee of the product's properties.