

## W10 – NEUCEROAD PAINT FOR ROADS MARKING

**DESCRIPTION:**



This paint is formulated with acrylic resins of excellent quality and pigments of high solidity. It is appropriated for traffic paintings.

**FEATURES:**

- Quick drying.
- Excellent adhesion on concrete, cement and asphalt.
- Good resistance to the wear by abrasion.
- Long lasting.

**SPECIFICATIONS:**

- **Density**.....1,490 ± 0,10
- **Viscosity**.....70-94ku (25°C)
- **Color**.....White, yellow, black, blue and oxyde red.
- **Superficial drying**.....± 5 minutes
- **Depth drying**.....± 12 hours
- **Drying between coats**.....± 1 hour

**RECOMMENDED USE:**

It is used in traffic paintings over asphalt, or in the marking of parking areas on concrete or cement pavements.

**SURFACE PREPARATION:**

The asphalt, the cement or the concrete have to be properly clean, dry and free of dusts.

**APPLICATION:**

To homogenize well the product before to apply.  
Over asphalt, the application should be made with a spray-gun, in a single coat properly diluted. This is the only way to guarantee, on the asphalt, a minimum of “migration”.  
Over cement, it can also be applied with a spray-gun, diluted with “ACRYLIC DILUENT”. If being applied with a paint-brush, due to the quick drying, it should be applied in 2 to 3 coats properly diluted with the “RETARDANT ACRYLIC DILUENT”.

**DILUTION:** With “ACRYLIC DILUENT” or “RETARDANT ACRYLIC DILUENT”, in the following percentages:

Spray-gun:

1 coat.....Diluted  $\pm$  10% with “ACRYLIC DILUENT”

Paint-brush:

1<sup>st</sup> Coat.....10-15% with “RETARDANT ACRYLIC DILUENT”

Others.....5-10% with “RETARDANT ACRYLIC DILUENT”

**COVERAGE:** Variable according to the layer thickness and the surface absorption.  
On average 5 to 7 m<sup>2</sup> / liter and per coat.

**CLEAN-UP:** With “ACRYLIC DILUENT” or "CELLULOSE DILUENT", right after the application.

**WARNING:**

- Do not paint with a rainy or cold weather.
- Inflammable product.
- In case of a contact with the skin or with the eyes to wash with plenty of water.
- Toxic by inhalation or ingestion. In case of an ingestion to call for a doctor.

**STORAGE AND PACKAGING:** Packages should be kept properly closed, in good environmental conditions of temperature and humidity, and spend the product on the chronological order of supply.  
Use it, with preference, up to 2 years after its manufactured date, but it can also be used after this date, as long as a good homogenization of the product can be verified.  
It is supplied in packages of 5lt and 20 litres.