

## W20 – PAVINEUCE AQUA

**DESCRIPTION:** Formulated with a water-based dispersion 100% acrylic, pigments and charges of great resistance and solidity, this paint is appropriated for the painting of normal and porous concrete tennis-courts.

**FEATURES:**

- Easy to apply and great adhesion.
- Good resistance to bad weather.
- Good covering and color retention.
- Great resistance to wear.
- It doesn't attack the environment.

**SPECIFICATIONS:**

- **Density**.....1,400 ± 0,10
- **Viscosity**.....81-109Ku (25°C)
- **Color**.....Red, green and others upon request
- **Superficial drying**.....2 to 4 hours
- **Depth drying**.....± 24 hours.
- **Recoat**.....12 to 24 hours
- **Tenor in CIT/MIT**.....< 15 ppm.
- **VOC (volatile organic compound)**....<sup>a)</sup> EU limit value set for this product cat. (A/i) 140 g/l (2010). This product contains a maximum of 21 g/l VOC.

**RECOMMENDED  
USE:**

Given its uncommon properties of resistance to wear, this paint is especially indicated for the painting of tennis-courts in porous or normal concrete.  
However, it can be applied in all the situations when the intention is to give color and protection to the concrete.

**SURFACE  
PREPARATION:**

Concrete surfaces have to be previously cleaned, dried and hard before the application of this paint.

**APPLICATION:**

To homogenize well the product before to apply.  
The application is to be realized with a spray-gun (preferably), or also with a paint-brush or a roller, in 2 to 3 coats properly diluted in spaced out from 12 to 24 hours.

**DILUTION:**

With water.

For the tennis-court in porous concrete to use the following approximate proportions:

1<sup>st</sup> Coat..... 30 to 40% for a good penetration  
Others..... Up to 25%

For other applications to use the following approximate proportion,:

1<sup>st</sup> Coat..... 10 to 15% for good penetration  
Others..... Up to 10%

**COVERAGE:**

On average and per coat 8 to 10 m<sup>2</sup> / liter, depending on the application method and concrete porosity.

**CLEAN-UP:**

With water, right after the application.

**WARNING:**

A selection of this product components has a tenor in clorometilisotiazolinona/metilisotiazolinona 3:1 inferior to 15 ppm, according to the Community Directive n°98/8/EC indications. Hence this product is not irritant nor presents any risks of sensitization in a contact with skin.

In spite of presenting no risks for health, it is advised to keep out of reach of children.

**RECOMMENDATION**

**S:**

Do not apply by rainy or cold days, the presence of humidity can originate “peelings”. Good environmental conditions are ideal.

**STORAGE**

**AND**

**PACKAGING:**

Packages should be kept properly closed, in good environmental conditions of temperature and humidity, and spend the product on the chronological order of supply.

Use it, with preference, up to 2 years after its manufactured date, but it can also be used after this date, as long as a good homogenization of the product can be verified.

It is supplied in packages of 5lt and 15 liters.

Note a) The value of the VOC previously mentioned concerns ready-to-use products, according to the technical specifications that we recommend. We do not take any responsibility for other mixtures made to the product. We draw special attention to all our agents for the responsibility that they take by not respecting what the Directive 2004/42/CE establishes.